





This is to certify that: FlexiPipe FlexiGas Ltd

Unit 494 109 Vernon House

Friar Lane Nottingham NG1 6DQ United Kingdom

Holds Certificate Number: KM 598726

In respect of:

BS EN 15266 Stainless Steel Corrugated Semi-rigid Tubing

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Frank Lee, Product Certification Technical and Compliance Director

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 1 of 9

...making excellence a habit.™

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1634: July 2021

Corrugated stainless steel tubing special adapter fittings

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing.

Description	Rating/Classification		
Maximum working pressure	MOP 0.5		
Medium type	First, second and third family gasses to EN 437		
Class reaction to fire	B-s1-d0		
Tightness in case of fire	650°C for 30 minutes <150dm³/h		
Tubing size	DN15, DN22, DN28, DN32, DN40 and DN50		
Stainless Steel	1.4404 (location 003) 1.4541 (location 004)		
Brass Fittings	CW602N		

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 2 of 9

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing. Fittings with provision for an earth terminal accessory.

Description	Product Code	Rating/Classification
Tubing		Flexigas DN15 Flexigas DN22 Flexigas DN28 Flexigas DN32 Flexigas DN40 Flexigas DN50
Unions	SU 15 SU 22 SU 28 SU 32 SU 40 SU 50	Flexigas DN15 x DN15 Flexigas DN22 x DN22 Flexigas DN28 x DN28 Flexigas DN32 x DN32 Flexigas DN40 x DN40 Flexigas DN50 x DN50
Reducers	SR 22-15 SR 28-15 SR 28-22 SR 32-22 SR 32-28 SR 40-28 SR 40-32	Flexigas DN22 x DN15 Flexigas DN28 x DN15 Flexigas DN28 x DN22 Flexigas DN32 x DN22 Flexigas DN32 x DN28 Flexigas DN40 x DN28 Flexigas DN40 x DN32
Elbows	EE 15 EE 22 EE 28 EE 32 EE 40	Flexigas DN15 x DN15 Flexigas DN22 x DN22 Flexigas DN28 x DN28 Flexigas DN32 x DN32 Flexigas DN40 x DN40
Equal tees	ПТ 15 ПТ 22 ПТ 28 ПТ 32 ПТ 40	Flexigas DN15 x DN15 x DN15 Flexigas DN22 x DN22 x DN22 Flexigas DN28 x DN28 x DN28 Flexigas DN32 x DN32 x DN32 Flexigas DN40 x DN40 x DN40

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 3 of 9

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing. Fittings with provision for an earth terminal accessory.

Description	Product Code	Rating/Classification
Reducing tees	TR 22-15-15	Flexigas DN22 x DN15 x DN15 (middle branch)
-	TR 22-22-15	Flexigas DN22 x DN22 x DN15 (middle branch)
	TR 22-15-22	Flexigas DN22 x DN15 x DN22 (middle branch)
	TR 28-22-15	Flexigas DN28 x DN22 x DN15 (middle branch)
	TR 28-22-22	Flexigas DN28 x DN22 x DN22 (middle branch)
	TR 28-28-15	Flexigas DN28 x DN28 x DN15 (middle branch)
	TR 28-28-22	Flexigas DN28 x DN28 x DN22 (middle branch)
	TR 32-22-22	Flexigas DN32 x DN22 x DN22 (middle branch)
	TR 32-28-22	Flexigas DN32 x DN28 x DN22 (middle branch)
	TR 32-32-22	Flexigas DN32 x DN32 x DN22 (middle branch)
	TR 32-32-28	Flexigas DN32 x DN32 x DN28 (middle branch)
	TR 40-40-28	Flexigas DN40 x DN40 x DN28 (middle branch)
	TR 40-40-32	Flexigas DN40 x DN40 x DN32 (middle branch)
Straight adapters	SM 15-12	Flexigas DN15 x ½" BSP thread
(male threaded)	SM 15-34	Flexigas DN15 x 3/4" BSP thread
,	SM 22-34	Flexigas DN22 x 3/4" BSP thread
	SM 22-10	Flexigas DN22 x 1" BSP thread
	SM 28-10	Flexigas DN28 x 1" BSP thread
	SM 28-114	Flexigas DN28 x 11/4" BSP thread
	SM 32 114	Flexigas DN32 x 11/4" BSP thread
	SM 40-112	Flexigas DN40 x 11/2" BSP thread
	SM 50-10	Flexigas DN50 x 2" BSP thread
Straight adapters	SF 15-12	Flexigas DN15 x ½" BSP thread
(female threaded)	SF 15-34	Flexigas DN15 x 3/4" BSP thread
,	SF 15-10	Flexigas DN15 x 1" BSP thread
	SF 22-12	Flexigas DN22 x ½" BSP thread
	SF 22-34	Flexigas DN22 x 3/4" BSP thread
	SF 22-10	Flexigas DN22 x 1" BSP thread
	SF 28-10	Flexigas DN28 x 1" BSP thread
	SF 28-114	Flexigas DN28 x 11/4" BSP thread
	SF 32-114	Flexigas DN32 x 11/4" BSP thread
	SF 32-112	Flexigas DN32 x 11/2" BSP thread
	SF 40-20	Flexigas DN40 x 2" BSP thread

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 4 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing. Fittings with provision for an earth terminal accessory.

Description	Product Code	Rating/Classification
Elbow adapters (male threaded)	EM 15-12 EM 22-34 EM 22-10	Flexigas DN15 x ½" BSP thread Flexigas DN22 x ¾" BSP thread Flexigas DN22 x 1" BSP thread
Elbow adapters (female threaded)	EF 15-12 EF 15-34 EF 22-34 EF 22-10 EF 28-114 EF 32-112 EF 40-20	Flexigas DN15 x ½" BSP thread Flexigas DN15 x ¾" BSP thread Flexigas DN22 x ¾" BSP thread Flexigas DN22 x 1" BSP thread Flexigas DN28 x 1¼" BSP thread Flexigas DN32 x 1½" BSP thread Flexigas DN40 x 2" BSP thread
Elbow adapter winged (female threaded)	EFW 15-12	Flexigas DN15 x ½" BSP thread
Tee adapters (female threaded)	TF 15-12 TF 22-34	Flexigas DN15 x DN15 x ½" BSP thread (middle branch) Flexigas DN22 x DN22 x ¾" BSP thread (middle branch)

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 5 of 9

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1634: July 2021

Corrugated stainless steel tubing special adapter fittings

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing.

Adapter fittings - corrugated stainless steel tubing to copper compression - with provision for earth terminal accessory.

Description	Product Code	Rating/Classification
Straight adapters ¹⁾	CC 15-15	Flexigas DN15 x 15mm Copper
(copper compression)	CC 15-22	Flexigas DN15 x 22mm Copper
	CC 15-28	Flexigas DN15 x 28mm Copper
	CC 22-15	Flexigas DN22 x 15mm Copper
	CC 22-22	Flexigas DN22 x 22mm Copper
	CC 22-28	Flexigas DN22 x 28mm Copper
	CC 28-22	Flexigas DN28 x 22mm Copper
	CC 28-28	Flexigas DN28 x 28mm Copper
	CC 28-35	Flexigas DN28 x 35mm Copper
	CC 32-28	Flexigas DN32 x 28mm Copper
	CC 32-35	Flexigas DN32 x 35mm Copper
	CC 32-42	Flexigas DN32 x 42mm Copper
	CC 40-35	Flexigas DN40 x 35mm Copper
	CC 40-42	Flexigas DN40 x 42mm Copper
	CC 40-54	Flexigas DN40 x 54mm Copper
Elbow adapters ¹⁾	ECC 15-15	Flexigas DN15 x 15mm Copper
(copper compression)	ECC 15-22	Flexigas DN15 x 22mm Copper
	ECC 15-28	Flexigas DN15 x 28mm Copper
	ECC 22-15	Flexigas DN22 x 15mm Copper
	ECC 22-22	Flexigas DN22 x 22mm Copper
	ECC 22-28	Flexigas DN22 x 28mm Copper
	ECC 28-22	Flexigas DN28 x 22mm Copper
	ECC 28-28	Flexigas DN28 x 28mm Copper
	ECC 28-35	Flexigas DN28 x 35mm Copper
	ECC 32-28	Flexigas DN32 x 28mm Copper
	ECC 32-35	Flexigas DN32 x 35mm Copper
	ECC 32-42	Flexigas DN32 x 42mm Copper
	ECC 40-35	Flexigas DN40 x 35mm Copper
	ECC 40-42	Flexigas DN40 x 42mm Copper
	ECC 40-54	Flexigas DN40 x 54mm Copper

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 6 of 9

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1634: July 2021

Corrugated stainless steel tubing special adapter fittings

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing.

Adapter fittings - corrugated stainless steel tubing to copper compression - with provision for earth terminal accessory.

Description	Product Code	Rating/Classification
Tee adapters ¹⁾ (copper compression) C x FG x FG branch	C15-FG15-FG15 C22-FG15-FG15 C22-FG22-FG22 C28-FG22-FG22 C28-FG28-FG28 C35-FG28-FG28 C35-FG32-FG32 C42-FG32-FG32 C42-FG40-FG40	Copper 15mm x DN15 Flexigas x DN15 Flexigas (middle branch) Copper 22mm x DN15 Flexigas x DN15 Flexigas (middle branch) Copper 22mm x DN22 Flexigas x DN22 Flexigas (middle branch) Copper 28mm x DN22 Flexigas x DN22 Flexigas (middle branch) Copper 28mm x DN28 Flexigas x DN28 Flexigas (middle branch) Copper 35mm x DN28 Flexigas x DN28 Flexigas (middle branch) Copper 35mm x DN32 Flexigas x DN32 Flexigas (middle branch) Copper 42mm x DN32 Flexigas x DN32 Flexigas (middle branch) Copper 42mm x DN40 Flexigas x DN40 Flexigas (middle branch) Copper 54mm x DN40 Flexigas x DN40 Flexigas (middle branch)
Tee adapters ¹⁾ (copper compression) C x C x FG branch	C15-C15-FG15 C22-C15-FG15 C22-C22-FG22 C28-C22-FG22 C28-C28-FG28 C35-C28-FG28 C35-C35-FG32 C42-C35-FG32 C42-C42-FG40 C54-C42-FG40	Copper 15mm x Copper 15mm x DN15 Flexigas (middle branch) Copper 22mm x Copper 15mm x DN15 Flexigas (middle branch) Copper 22mm x Copper 22mm x DN22 Flexigas (middle branch) Copper 28mm x Copper 22mm x DN22 Flexigas (middle branch) Copper 28mm x Copper 28mm x DN22 Flexigas (middle branch) Copper 35mm x Copper 28mm x DN28 Flexigas (middle branch) Copper 35mm x Copper 35mm x DN32 Flexigas (middle branch) Copper 42mm x Copper 35mm x DN32 Flexigas (middle branch) Copper 42mm x Copper 42mm x DN40 Flexigas (middle branch) Copper 54mm x Copper 54mm x DN40 Flexigas (middle branch) Copper 54mm x Copper 54mm x DN40 Flexigas (middle branch)

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 7 of 9

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1634: July 2021

Corrugated stainless steel tubing special adapter fittings

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing.

Adapter fittings - corrugated stainless steel tubing to copper compression - with provision for earth terminal accessory.

Description	Product Code	Rating/Classification
Tee adapters ¹⁾ (copper compression) C x FG x C branch	C15-FG15-C15 C22-FG15-C15 C22-FG22-C22 C28-FG22-C22 C28-FG28-C28 C35-FG28-C28 C35-FG32-C35 C42-FG32-C35 C42-FG40-C42 C54-FG40-C42	Copper 15mm x DN15 Flexigas x Copper 15mm (middle branch) Copper 22mm x DN15 Flexigas x Copper 15mm (middle branch) Copper 22mm x DN22 Flexigas x Copper 22mm (middle branch) Copper 28mm x DN22 Flexigas x Copper 28mm (middle branch) Copper 28mm x DN28 Flexigas x Copper 28mm (middle branch) Copper 35mm x DN28 Flexigas x Copper 28mm (middle branch) Copper 35mm x DN32 Flexigas x Copper 35mm (middle branch) Copper 42mm x DN32 Flexigas x Copper 42mm (middle branch) Copper 42mm x DN40 Flexigas x Copper 42mm (middle branch) Copper 54mm x DN40 Flexigas x Copper 54mm (middle branch) Copper 54mm x DN40 Flexigas x Copper 54mm (middle branch)
Adapters ²⁾ (Flowflex)	A-15 A-22 A-28 A-32 A-40	Flexigas DN15 x 22mm Flowflex Flexigas DN22 x 28mm Flowflex Flexigas DN28 x 35mm Flowflex Flexigas DN32 x 42mm Flowflex Flexigas DN40 x 54mm Flowflex

Notes:

PP1634: July 2021 Corrugated stainless steel tubing special adapter fittings includes the relevant requirements of BS EN 1254-4

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 8 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

¹⁾ Flexigas to Copper adapter fittings (including Flowflex component)

²⁾ Flexigas to Flowflex adapters only (A-XX) (excluding Flowflex component)*

^{*} Flexigas to Flowflex adapters (A-XX) are <u>only</u> compatible with the fittings on the Flowflex compatible model list available separately (KM 598726 certificate Flowflex compatible model list Revision 1 dated 19th July 2021). Flexigas to Flowflex adapters can <u>only</u> be sold by stockists and fitted by installers that have successfully completed a Flexigas training course covering how to assemble Flexigas to Flowflex adapter fittings.

No. KM 598726

BS EN 15266: 2007

Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar

PP1691: July 2021

Corrugated stainless steel tubing integrated earth terminals

Flexigas system - DN15, DN22, DN28, DN32, DN40 and DN50 stainless steel pliable corrugated tubing. Earth terminal accessory for use with Flexigas fittings.

Description	Product Code	Rating/Classification
Earth terminal accessory	EB-01	Earth terminal accessory for use with Flexigas fittings

Manufacturing locations:

EASYFI-0047471212-003 EASYFI-0047471212-004

Note: This certificate supersedes that dated 12th July 2021 and covers the following:

- Addition of new Flexigas to Copper adapters (inc Flowflex component).
- Addition of new Flexigas to Flowflex adapters only (exc Flowflex component).
- Fittings with provision for an earth terminal and new earth terminal accessory.

First Issued: 2015-01-20 Effective Date: 2021-08-23 Latest Issue: 2021-08-23 Expiry Date: 2024-07-11

Page: 9 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.